



COMPOUNDING WITHOUT
COMPROMISE SINCE 1962

4-aminopyridine Capsules

This drug was compounded for you by O'Brien Pharmacy according to your provider's prescription. **CAUTION:** Federal law prohibits the transfer of this drug to any person other than the patient for whom it was prescribed. This information is provided in addition to the written information and pharmacist consultation you received.

Use

Common uses include symptomatic treatment for multiple sclerosis.

Side effects

Tingling sensations around the mouth and in the hands and feet, dizziness, anxiety, abdominal pain and headache. This medication is generally tolerated well at doses of 0.5mg/kg per day or less. Higher than recommend doses (greater than 0.5/kg per day) have been associated with seizures.

Precautions

Use exactly according to your prescriber's directions. Report any side effects or abnormal physical symptoms to your provider or pharmacist. Do not exceed dosage prescribed by your prescriber.

Directions

This medication is individually calculated based on your body weight and this dosage should not be deviated from unless instructed to by your prescriber. Capsules are routinely prepared in 5mg and 10mg doses. Also available in 5mg, 10mg, 15mg and 20mg sustained release capsules, as well as customized strengths based on body weight.

Storage

Store in the original container at room temperature.

Do not flush unused medications or pour down a sink or drain. You have the right to know about the proper use of your medication and its effects. A pharmacist is available for consult Mon. - Fri. 10 a.m. to 6 p.m. Central Time by calling the pharmacy at 800-627-4360. Patients in California will receive a return call on Saturdays for voicemails left by noon Central Time (10 a.m. Pacific Time)